Application No.: 10/590,785 Docket No.: 0760-0357PUS1

AMENDMENTS TO THE CLAIMS

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)
- 7. (Canceled)
- 8. (Canceled)
- 9. (Canceled)
- 10. (Currently Amended) An <u>immunoagglutination</u> immunoassay which is carried out in the presence of said agent for inhibiting decrease in measured values in immunoassays, comprising:

immunoagglutination immunoassays, caused by an interfering substance(s), which agent is an ionic surfactant having a molecular weight of 1000 to 100,000, said ionic surfactant being a polymer in which a hydrophobic cyclic monomer(s) having an ionic functional group(s) is(are) polymerized to form a mixture of said test sample and said agent. according to claim 1.

11. (Currently Amended) The immunoassay according to claim 10, comprising a first step of bringing a mixing said test sample into contact with said agent for inhibiting decrease in measured values in immunoagglutination immunoassays; and a second step of subjecting said

Application No.: 10/590,785 Docket No.: 0760-0357PUS1

test-sample mixture to antigen-antibody immunoagglutination reaction with sensitized particles or with an antiserum to form a reacted mixture.

- 12. (Currently Amended) The immunoassay according to claim 10 11, wherein said test sample is a biological sample.
- 13. (Original) The immunoassay according to claim 12, wherein said test sample is blood, serum or blood plasma.
- (Currently Amended) The immunoassay according to claim 10 11, wherein the concentration of said agent for inhibiting decrease in measured values in immunoassays in reaction solution is 0.01% to 5% (weight/volume).
- 15. (Canceled)
- 16. (Canceled)
- 17. (Canceled)
- 18. (Canceled)
- 19. (Canceled)
- 20. (Canceled)
- 21. (New) The immunoassay according to claim 11, further comprising a third step of determining the measured values of a target substance in said reacted mixture.
- 22. (New) The immunoassay according to claim 11, wherein said polymer comprises a recurring unit représented by the following Formula [I]:

$$\begin{array}{c|c}
R^1 & R^2 \\
C & C \\
Ar & R^3 \\
X & X
\end{array}$$

wherein Ar represents a hydrophobic ring; X represents the ionic functional group; R¹ to R³ independently represent hydrogen or alkyl; n represents an integer of 0 to 10; hydrogen atom(s) bound to a carbon atom(s) constituting Ar optionally being substituted with a substituent(s) which does(do) not adversely affect the effect of the present invention.

- 23. (New) The immunoassay according to claim 11 or 22, wherein said hydrophobic cyclic monomer is an aromatic monomer.
- 24. (New) The immunoassay according to claim 23, wherein said aromatic monomer has a benzene ring.
- 25. (New) The immunoassay according to claim 11, wherein said ionic functional group is sulfonic group or a salt thereof, carboxylic group or a salt thereof, or an amine.
- 26. (New) The immunoassay according to claim 25, wherein said ionic functional group is sulfonic group or a salt thereof.
- 27. (New) The immunoassay according to claim 22, wherein said recurring unit is represented by the following Formula [II]:

Application No.: 10/590,785

Docket No.: 0760-0357PUS1

$$\begin{array}{c|c}
R^{1} & R^{2} \\
\hline
C & C \\
R^{3} \\
\hline
R^{5} & R^{6}
\end{array}$$
[II]

wherein M represents an atom or a group which becomes a monovalent cation in aqueous solution; R^1 to R^3 have the same meanings as said R^1 to R^3 in said Formula [I]; and R^4 to R^6 independently represent hydrogen, lower alkoxyl or lower alkyl.

- 28. (New) The immunoassay according to claim 25, wherein said recurring unit is an anethole sulfonic acid salt or styrene sulfonic acid salt.
- 29. (New) The immunoassay according to claim 22, further comprising a third step of determining the measured values of a target substance in said reacted mixture.
- 30. (New) The immunoassay according to claim 27, further comprising a third step of determining the measured values of a target substance in said reacted mixture.